




DIMENSIONS DES VERINS ISO 6432 Ø 8 - 25



* : cotes sur plats

Ø alésages (mm)	cotes (mm)															
	A	B	C*	C1*	C2	C3*	C4	dD	dD1	dD2	E	F	G	G1	H	H1
8	8	15	3	7	2	19	7	M5	4	4	M12x1.25	M4	12	16	86	10
10	8	15	3	7	2	19	7	M5	4	4	M12x1.25	M4	12	16	86	10
12	12	17	5	10	3	24	8	M5	6	6	M16x1.5	M6	16	22	104	13
16	12	20	5	10	3	24	8	M5	6	6	M16x1.5	M6	16	22	111	13
20	16	28	7	13	4	32	10	G1/8	8	8	M22x1.5	M8	20	24	129	14
25	16	30	8	17	5	32	10	G1/8	10	8	M22x1.5	M10x1.25	22	28	143	17

DIMENSIONS DES VERINS ISO 6432 Ø 32 - 40




* : cotes sur plats

Ø alésages (mm)	cotes (mm)													
	A	dB	C*	C ₁ *	C ₂	C ₃ *	dD	dD ₁	dD ₂	E	F	G	G ₁	H
32	16	39	10	17	5	44	G1/8	10	10	M24x1.5	M10x1.25	22	24	152
40	20	47	13	19	7	35	G1/4	12	12	M30x1.5	M12x1.25	24	24	167

Ø alésages (mm)	cotes (mm)													
	A	dB	C*	C ₁ *	C ₂	C ₃ *	dD	dD ₁	dD ₂	E	F	G	G ₁	H
32	16	39	10	17	5	44	G1/8	10	10	M24x1.5	M10x1.25	22	24	152
40	20	47	13	19	7	35	G1/4	12	12	M30x1.5	M12x1.25	24	24	167

DIMENSIONS DES VERINS ISO 6432 Ø 50



* : cotes sur plats

Ø alésages (mm)	cotes (mm)																				
	dA	dB	C [*]	C ₁ [*]	C ₂	dD	dD ₁	dD ₂	dD ₃	dD ₄	E	F	G	G ₁	H	H ₁	H ₂	H ₃	H ₄	H ₅	H ₆
50	45	56	17	24	8	20	19	G1/4	16	M10	M45x1.5	M16x1.5	32	50	220	98	38	26	120	68	18